

विक्टोरिया मेमोरियल हाल VICTORIA MEMORIAL HALL

(भारत सरकार के संस्कृति मन्त्रालय के प्रशासनिक नियन्त्रण

के तहत एक स्वायत्त संगठन)

(An autonomous organisation under the administrative control of the Ministry of Culture, Govt. of India)

VM No. 1316/VC-06/11

13 July 2017

Notice Inviting Tender

Sealed Tenders are invited by the Victoria memorial Hall from licensed electrical contractors for the work as mentioned below:

Name of Work:

Supply, laying and fixing of 3 core, 16 sqmm armoured u/g Aluminium cable from Electrical panel located nearby Son et Lumiere area to the Electrical panel at north gate of VM garden via electrical panel at Queens terrace of Victoria Memorial. (Work Schedule enclosed vide Annexure – 1)

The Sealed tenders addressed to the Administrative Officer, Victoria Memorial Hall, 1 – Queens Way, Kolkata 700071, should be dropped in the tender box kept for the purpose in the office of the undersigned on or before 3:00 pm on 18.07.2017. The Tenders will be opened on the same day at 4:00 pm in the presence of such tenderers or their representatives who wish to remain present.

Tenders in sealed cover should be superscribed "Supply, laying and fixing of 3 core, 16 sqmm armoured u/g Aluminium cable from Electrical panel located nearby Son et Lumiere area to the Electrical panel at north gate of VM garden via electrical panel at Queens terrace of Victoria Memorial., Kolkata.".

Rates so quoted will remain valid for six months.

Rates should be quoted inclusive of tax and transportation charges etc. The rate should be quoted both in words and figures. The tenderers should clearly state the delivery schedule.

Tenders should be submitted on the letterhead of the firm.

The tenderers should have sufficient experience in doing similar nature of jobs preferably in Govt. Sector. The tenderers should submit photocopies of their licences, PAN card and papers in support of their work experience.

The tenderers will be required to deposit 2% of the quoted rates as Earnest Money in the form of Demand Drafts in favour of the Trustees of Victoria Memorial, drawn from



विक्टोरिया मेमोरियल हाल VICTORIA MEMORIAL HALL

(भारत सरकार के संस्कृति मन्त्रालय के प्रशासनिक नियन्त्रण

के तहत एक स्वायत्त संगठन)

(An autonomous organisation under the administrative control of the Ministry of Culture, Govt. of India)

any commercial bank, payable at Kolkata. The above earnest money will be refunded after one month from the date of issuance of Work Order. The EMD's of unsuccessful tenderers shall be released after the issuance of work order or latest by one month

The successful tenderer will be required to deposit 10% of the total work value as Security Deposit in the same form in which the Earnest money has been deposited to the Trustees of

Victoria Memorial before receiving of Work Order. The security money since deposited will

be refunded not earlier than six month from the date of completion of the job. The earnest money will be forfeited if the Security Money is not deposited within seven days from the

date of intimation in this regard or if the successful tenderer is unable to commence the job within specified time.

The job executed by the successful tenderer shall have to be guaranteed against bad workmanship for a period of six (6) months from the date of completion of the job. If any defect is detected during the period as mentioned above, he will be liable to rectify the same free of cost within reasonable time. Otherwise, VMH will get it rectified at its own cost and adjust the same from the Security Deposit.

The job to be executed is scheduled to be inspected by the concerned unit of the VMH.

The job to be executed will follow the Govt. specification.

For any additional information, tenderers may contact the Electrician of this office between 2:00 pm to 4:00 pm on any working day.

The authority reserves the right to accept or reject any or all the tenders without assigning any reason thereof.

Administrative officer

SCHEDULE OF WORK

Supply, laying and fixing of 3 core, 16 sqmm armoured u/g Aluminium cable from Electrical panel located near by Son et Lumiere area to the Electrical panel at north

gate of VM garden via electrical panel at Queens terrace of Victoria Memorial

SI.	of VIVI garden via electrical panel at Qu Description	Qty	Rate	Unit	Amount	in
No.					Rs.	
01	Supply & Laying of following size of PVC insulated and PVC sheathed/ XLPE armoured aluminium conductor cable of 1.1 KV grade direct in ground including excavation, sand cushioning, protective covering and refiling the trench etc. as required.	170+160 = 330 Mtrs		Mtrs		
02	1. 03 core, 16 sqmm Supply of following size of PVC insulated and PVC sheathed/ XLPE armoured aluminium conductor cable of 1.1 KV grade 1. 04 care 16 sqmm	09 Mtrs		Mtrs		
03	Providing & fixing 40 mm dia medium class GI pipe ISI marked for cable protection at gravel area and road crossing i/c cutting of concrete pathways and refilling the same making good the damages	70 Mtrs		Mtrs		
04	Supply and making end termination with brass compression gland and aluminium lug for following size of PVC insulated and PVC sheathed/ XLPE aluminium Conductor cable of 1.1 KV grade as required					
	 03 core, 16 sqmm. 04 core, 16 sqmm 	04 Sets 02 Sets		Sets Sets		
05	Supply and fixing of double door MS junction box size 24"(W) x 30"(H) x 12"(D) having 2 mm thickness with locking arrangement, earth terminal complete i/c compartmental wall for fixing the electrical equipment i/c 1.6 mm thick sheet metal busbar chamber complete with copper busbar (04 bars) with powder coated paint i/c grouting on brick foundation. (Location- Electrical panel located near by Son et Lumiere area)	01 Job		01 Job		
06	Supply and fixing in the existing JB of following way single door sheet steel enclosure MCB Distribution Board make – HPL/ Havell's/ Standard a. 4 - way b. 8 - way	01 No. 01 No.				
07	Supply and fixing 240/415V Miniature Circuit Breaker (HPL/ Havell's/ Standard) of following poles in the existing MCB DB					

	i/c inter-connection with copper conductor single core cable and copper lugs, testing and commissioning etc as required. a. 100A, 4 Pole Isolator b. 63A, TP Isolator c. 40A, 4 Pole Isolator			
08	Earthing with 50 mm dia G.I. pipe (medium class) 3.04 mtrs. Long and 1 no. 6 SWG GI (Hot Dip) wire (4 Mtrs long) 13 mm dia 80 mm long GI bolts, double nuts, double washers i/c/ S&F 15 mm dia GI pipe protection partly above ground level driven to as average depth of 3.65 mtrs, below the ground level and restoring surface duly rammed (but without charcoal and salt.)	02 Jobs	02 Jobs	